Titles of Most Frequently Occurring Classifications of Patents Returne

From A Search of 10603779 on September 13, 2004

```
23
   340/628
                  (8 OR, 15 XR)
         Class
                 340 : COMMUNICATIONS: ELECTRICAL
         340/500
                       CONDITION RESPONSIVE INDICATING SYSTEM
         340/540
                       .Specific condition
         340/603
                       .. Fluent material
         340/627
                       ... Particle suspension in fluid
         340/628
                       ....Smoke
21
   340/630
                  (9 OR, 12 XR)
                 340 : COMMUNICATIONS: ELECTRICAL
         Class
         340/500
                       CONDITION RESPONSIVE INDICATING SYSTEM
         340/540
                       .Specific condition
         340/603
                       ..Fluent material
         340/627
                       ... Particle suspension in fluid
         340/628
                       ....Smoke
         340/630
                       ....Photoelectric
12
   340/629
                 (2 OR, 10 XR)
         Class
                 340 : COMMUNICATIONS: ELECTRICAL
         340/500
                       CONDITION RESPONSIVE INDICATING SYSTEM
         340/540
                       .Specific condition
         340/603
                       .. Fluent material
         340/627
                       ... Particle suspension in fluid
         340/628
                       ....Smoke
         340/629
                       ....Ionization
9
  250/574
                  (1 OR, 8 XR)
        Class
                 250 : RADIANT ENERGY
         250/200
                       PHOTOCELLS; CIRCUITS AND APPARATUS
         250/216
                       .Optical or pre-photocell system
         250/573
                       .. Fluent material in optical path
         250/574
                       ... Scattered or reflected light
5 250/573
                  (0 OR, 5 XR)
                 250 : RADIANT ENERGY
         250/200
                       PHOTOCELLS; CIRCUITS AND APPARATUS
        250/216
                       .Optical or pre-photocell system
         250/573
                       .. Fluent material in optical path
   340/506
                  (2 OR, 3 XR)
        Class
                 340 : COMMUNICATIONS:
                                         ELECTRICAL
         340/500
                       CONDITION RESPONSIVE INDICATING SYSTEM
         340/501
                       .With particular system function (e.g.,
```

temperature compensation, calibration)

340/506 ..Alarm system supervision

5 340/521 (1 OR, 4 XR)

Class 340: COMMUNICATIONS: ELECTRICAL

340/500 CONDITION RESPONSIVE INDICATING SYSTEM

340/501 .With particular system function (e.g.,

temperature compensation, calibration)

340/517 ... Selection from a plurality of sensed

conditions

340/521 ...Plural diverse conditions

5 340/584 (0 OR, 5 XR)

Class 340: COMMUNICATIONS: ELECTRICAL

340/500 CONDITION RESPONSIVE INDICATING SYSTEM

340/540 .Specific condition

340/584 ..Thermal

4 340/511 (1 OR, 3 XR)

Class 340: COMMUNICATIONS: ELECTRICAL

340/500 CONDITION RESPONSIVE INDICATING SYSTEM

340/501 .With particular system function (e.g.,

temperature compensation, calibration)

340/506 ..Alarm system supervision

340/511 ...Threshold or window (e.g., of analog

electrical level)

4 340/517 (1 OR, 3 XR)

Class 340: COMMUNICATIONS: ELECTRICAL

340/500 CONDITION RESPONSIVE INDICATING SYSTEM

340/501 .With particular system function (e.g.,

temperature compensation, calibration)

340/517 ... Selection from a plurality of sensed

conditions

4 340/531 (1 OR, 3 XR)

Class 340: COMMUNICATIONS: ELECTRICAL

340/500 CONDITION RESPONSIVE INDICATING SYSTEM

340/531 .With particular coupling link '

4 340/539.1 (0 OR, 4 XR)

Class 340: COMMUNICATIONS: ELECTRICAL

340/500 CONDITION RESPONSIVE INDICATING SYSTEM

340/531 .With particular coupling link

340/539.1 ..Radio

4 340/693.5 (0 OR, 4 XR)

Class 340: COMMUNICATIONS: ELECTRICAL

```
10603779 CLSTITLES
        340/500
                      CONDITION RESPONSIVE INDICATING SYSTEM
        340/693.5
                      .Specified housing
  356/438
                 (0 OR, 4 XR)
                356: OPTICS: MEASURING AND TESTING
        Class
        356/432
                      FOR LIGHT TRANSMISSION OR ABSORPTION
        356/436
                      .Of fluent material
        356/437
                      ..Gas
        356/438
                      ... Exhaust, dust or smoke
  250/381
3
                 (0 \text{ OR}, 3 \text{ XR})
        Class
                250 : RADIANT ENERGY
        250/336.1
                      INVISIBLE RADIANT ENERGY RESPONSIVE ELECTRIC
                            SIGNALLING
        250/374
                      .Including a radiant energy responsive gas
                           discharge device
        250/379
                      .. With means to supply the gas
        250/381
                      ...With radioactive source
  340/522
3
                 (2 OR, 1 XR)
        Class
                340 : COMMUNICATIONS:
                                        ELECTRICAL
        340/500
                      CONDITION RESPONSIVE INDICATING SYSTEM
        340/501
                      .With particular system function (e.g.,
                            temperature compensation, calibration)
        340/517
                      .. Selection from a plurality of sensed
                           conditions
        340/521
                      ... Plural diverse conditions
        340/522
                      ....Combined for response
3 340/539.22
                (0 OR, 3 XR)
        Class
                340 : COMMUNICATIONS: ELECTRICAL
        340/500
                      CONDITION RESPONSIVE INDICATING SYSTEM
        340/531
                      .With particular coupling link
        340/539.1
                      ..Radio
        340/539.22
                      ... Having plural distinct sensors (i.e., for
                         surrounding conditions)
3 340/577
                 (0 \text{ OR}, 3 \text{ XR})
        Class
                340 : COMMUNICATIONS: ELECTRICAL
        340/500
                      CONDITION RESPONSIVE INDICATING SYSTEM
        340/540
                     .Specific condition
                      ..Flame
        340/577
  340/587
                (2 OR, 1 XR)
        Class
                340 : COMMUNICATIONS: ELECTRICAL
        340/500
                      CONDITION RESPONSIVE INDICATING SYSTEM
        340/540
                     .Specific condition
        340/584
                      ..Thermal
```

10603779_CLSTITLES 340/587 ...False alarm resistant

3 340/632 (2 OR, 1 XR) Class 340: COMMUNICATIONS: ELECTRICAL 340/500 CONDITION RESPONSIVE INDICATING SYSTEM .Specific condition 340/540 340/603 ..Fluent material 340/632 ...Gas 2 169/5 (0 OR, 2 XR) 169 : FIRE EXTINGUISHERS Class 169/5 FLUID SYSTEMS 2 169/60 (0 OR, 2 XR) Class 169 : FIRE EXTINGUISHERS 169/54 SPECIAL APPLICATIONS 169/56 .Condition responsive control 169/60 .. Sensor, control and actuator 2 169/61 (0 OR, 2 XR) Class 169: FIRE EXTINGUISHERS 169/54 SPECIAL APPLICATIONS 169/56 .Condition responsive control 169/60 .. Sensor, control and actuator 169/61 ... Electrical control 2 250/575 (0 OR, 2 XR) 250 : RADIANT ENERGY Class 250/200 PHOTOCELLS; CIRCUITS AND APPARATUS .Optical or pre-photocell system 250/216 .. Fluent material in optical path 250/573 250/575 ...Plural paths 2 340/10.1 (0 OR, 2 XR) Class 340: COMMUNICATIONS: ELECTRICAL 340/825 SELECTIVE 340/10.1 .Interrogation response (1 OR, 1 XR) 2 340/286.05 340 : COMMUNICATIONS: ELECTRICAL Class 340/286.01 SYSTEMS .Manual alarm telegraph; e.g., other than 340/286.04 signal box type 340/286.05 ..Fire 2 340/309.16 (0 OR, 2 XR) Class 340 : COMMUNICATIONS: ELECTRICAL

Page 4

SYSTEMS

340/286.01

340/309.16 .Timer control

```
340/309.8
                (0 OR, 2 XR)
                340 : COMMUNICATIONS: ELECTRICAL
        Class
        340/286.01
                      SYSTEMS
        340/309.16
                     .Timer control
        340/309.8
                      .. Separate diverse device activated by timer
  340/508
2
                 (0 OR, 2 XR)
        Class
                340 : COMMUNICATIONS:
                                       ELECTRICAL
        340/500
                     CONDITION RESPONSIVE INDICATING SYSTEM
        340/501
                      .With particular system function (e.g.,
                           temperature compensation, calibration)
        340/506
                      ..Alarm system supervision
        340/508
                      ...Redundant (e.g., added circuit or loop)
  340/514
                (1 OR, 1 XR)
                340 : COMMUNICATIONS: ELECTRICAL
       Class
        340/500
                     CONDITION RESPONSIVE INDICATING SYSTEM
        340/501
                      .With particular system function (e.g.,
                         temperature compensation, calibration)
        340/514
                      .. Testing
2 340/527
                (1 OR, 1 XR)
               340 : COMMUNICATIONS: ELECTRICAL
       Class
        340/500
                     CONDITION RESPONSIVE INDICATING SYSTEM
        340/501
                      .With particular system function (e.g.,
                          temperature compensation, calibration)
        340/527
                      .. Time delay
  340/538
               (1 OR, 1 XR)
       Class
                340 : COMMUNICATIONS: ELECTRICAL
        340/500
                     CONDITION RESPONSIVE INDICATING SYSTEM
        340/531
                     .With particular coupling link
        340/533
                     ..Wired
        340/538
                     ... Combined with power line
2 340/636.15
                (1 OR, 1 XR)
       Class
               340 : COMMUNICATIONS: ELECTRICAL
        340/500
                     CONDITION RESPONSIVE INDICATING SYSTEM
       340/540
                     .Specific condition
                     .. Condition of electrical apparatus
       340/635
       340/636.1
                     ...Battery
       340/636.15
                     ....By voltage
  340/691.4
                (0 OR, 2 XR)
       Class
               340 : COMMUNICATIONS: ELECTRICAL
```

340/500

CONDITION RESPONSIVE INDICATING SYSTEM

340/691.1 .Specified indicator structure

340/691.4 ..Plural

2 340/693.11 (0 OR, 2 XR)

Class 340: COMMUNICATIONS: ELECTRICAL

340/500 CONDITION RESPONSIVE INDICATING SYSTEM

340/693.5 .Specified housing ...Having specified mounting structure 340/693.11 ...To wall or ceiling

2 340/825.69 (0 OR, 2 XR)

Class 340: COMMUNICATIONS: ELECTRICAL

340/825 SELECTIVE
340/825.57 .Pulse responsive actuation
340/825.62 .Serial

340/825.69 ...Radio link

2 379/39 (0 OR, 2 XR)

> Class 379 : TELEPHONIC COMMUNICATIONS

379/37 EMERGENCY OR ALARM COMMUNICATIONS (E.G.,

WATCHMAN'S CIRCUIT)

379/39 .Responsive to sensed nonsystem condition

2 379/40 (1 OR, 1 XR)

Class 379 : TELEPHONIC COMMUNICATIONS

379/37 EMERGENCY OR ALARM COMMUNICATIONS (E.G.,

WATCHMAN'S CIRCUIT)

379/39 .Responsive to sensed nonsystem condition

379/40 .. Automatic dialing

2 455/404.1 (1 OR, 1 XR)

> Class 455 : TELECOMMUNICATIONS

455/403 RADIOTELEPHONE SYSTEM

455/404.1 .Emergency or alarm communication

10603779 CLS

Most Frequently Occurring Classifications of Patents Returned From A Search of 10603779 on September 13, 2004

9 340/630 8 340/628 2 340/506 2 340/522 2 340/587 2 340/629 2 340/632 Cross-Reference Classifications 340/628 12 340/630 10 340/629 8 250/574 5 250/573 5 340/584 4 340/521 4 340/539.1 4 340/693.5 4 356/438 3 250/381 3 340/506 3 340/511 3 340/517 3 340/531 3 340/539.22 3 340/577 2 169/5 2 169/60 169/61 2 250/575 2 340/10.1 2 340/309.16 2 340/309.8 2 340/508 2 340/691.4 2 340/693.11 2 340/825.69 2 379/39 Combined Classifications 23 340/628 21 340/630

12 340/629

Original Classifications

10603779_CLS

- 9 250/574
- 5 250/573
- 5 340/506
- 5 340/521
- 5 540/521
- 5 340/584
- 4 340/511
- 4 340/517
- 4 340/531
- 4 340/539.1
- 4 340/693.5
- 4 356/438
- 3 250/381
- 3 340/522
- 3 340/539.22
- 3 340/577
- 3 340/587
- 3 340/632
- 2 169/5
- 2 169/60
- 2 169/61
- 2 250/575
- 2 340/10.1
- 2 340/286.05
- 2 340/309.16
- 2 340/309.8
- 2 340/508
- 2 340/514
- 2 340/527
- 2 340/538
- 2 340/636.15
- 2 340/691.4
- 2 340/693.11
- 2 340/825.69
- 2 379/39
- 2 379/40
- 2 455/404.1

Page 2

10603779_EAST

(4364031 4823015 4827247 5243330 5764142 6097288
4254414 4292513 4300133 4316184 4401978 4405919 4471346 4528555
4556873 4568924 4594581 4774502 4788530 4812821 4901056 5053754
5260687 RE34704 5381130 5388144 5451931 5523744 5565852 5594422
5721530 5745849 5790018 5808541 5831526 5945924 6078269 6081192
6104301 6150935 6160483 6222455 6222455 6351219 6353395
6380860 4030086 4065759

10603779_EAST

4149159 4180742).pn.